Source States and Sta

6

www.teltek.se



ABOUT TELTEK...

Teltek designs, manufactures and sells dynamic scales and peripheral equipment. The scales have integrated data systems and weigh, sort and handle products moving along production line conveyor belts. The integrated software registers the recorded weights and prepares various sets of statistics. Our weighing systems are noted for their excellent communication with other equipment in the production facilities where they are used. Teltek's weighing systems are used primarily in light industries such as the foodstuff and pharmaceutical industries. The company has a wide, international customer base. Sales are via a network of distributors.



Teltek C-platform

Teltek C-platform makes the base of the checkweighers in Teltek C-series. Hardware as well as software is developed by Teltek and give our checkweighers very high performance in weighing.

Teltek C-platform can be combined with many different applications to be able to fit in a large amount of different environments. Combine Teltek C-platform with either the C20, C60 or C80 interface.



C20 Checkweigher

C20 is a slim, easy-to-use checkweigher with the same high quality as the other checkweighers in the C-series.

- Small and flexible
- High speed combined with high accuracy
- Designed for minimum of maintenance and ease of use
- MID homologation, CE certification

The C20 is mainly built for easier applications where statistics and more advanced functions are not necessary.

The precision engineered C20 weigh platform gurantees weight stability, accuracy and repeatability.

Available in stainless steel, IP65 with conveyors driven by maintenance free brushless DC motors.

The C20 offers a range of belt sizes and reject devices to suit customer specific needs including air blast, pusher, single or double flipper/divert arm and drop-flap.

The C20 comes with a easy-to-use display with settings for nominal weight, over and under-weight.

The display makes it easy to change the parameters for the product running.

The belt dimensions of the Teltek C20 are adapted to suit any kind of application, from big bags of seed to small boxes of candy.



Tatak



SPECIFICATIONS:

C20 checkweigher

Weight capacity: Accuracy: Speed: 15-60 000 grams from 1,0 grams up to 200 ppm (depending on pack size)

Weigh platform: Display: (depending on pac Teltek C LED PLU/Programable memory:

Material options:

Power:

Dimensions:

No memory

All stainless steel to IP65 or SS and Aluminium

110/230 VAC 50/60Hz

All checkweighers built to customer specifications (belt dimensions)

CONTACT

Distributor:

TELTEK I ÖREBRO AB

Argongatan 83 · SE-703 74 Örebro · Sweden Tel: +46 (0)19 311 300 · Fax: +46 (0)19 311 331 info@teltek.se · www.teltek.se