


LNK2635

"LNK2635": Galvanized stay rod with ball-and-socket joints



Galvanized stay rod, useful to limit the movements of the weighed structure without affecting the weighing results. Fitted with two ball-and-socket joints (overall length adjustable from 260 to 350mm).

Working in cooperation with:

P.R.S. TORFBUD DAWID SZOPA

11 LISTOPADA 8 - 41500 - CHORZOW - POLAND
Tel. 0048-322413522 Fax. 0048-322413522
torfbud@wagielektroniczne.com.pl

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Max 100 Kn.
- Steel structure.
- Joints Ø 19 mm.
- Central mobile lichpin, for the length regulation.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

P.R.S. TORFBUD DAWID SZOPA

11 LISTOPADA 8 - 41500 - CHORZOW - POLAND

Tel. 0048-322413522 Fax. 0048-322413522

torfbud@wagielektroniczne.com.pl

SALES AND TECHNICAL ASSISTANCE SERVICE