

GLR100I

ALPHANUMERIC WEIGHT REPEATER "GLR100I" IN STAINLESS STEEL AND WITH IP68 PROTECTION



Alphanumeric graphic repeater with RGB HIGH LUMINOSITY LED matrix, ideal for displaying weight and operational messages. Depending on the connected indicator, it is possible to display weight with large digits or customisable operational messages. RGB technology allows you to change the colour displayed, with a traffic light function (red, yellow, green). Stainless steel enclosure and IP68 protection rating.

Working in cooperation with:

P.R.S. TORFBUD DAWID SZOPA

11 LISTOPADA 8 - 41500 - CHORZOW - POLAND
Tel. 0048-322413522 Fax. 0048-322413522
torfbud@wagielektroniczne.com.pl

The best solution
for advanced industrial
applications

FEATURES

- Stainless steel enclosure, with IP68 protection rating. Suitable for outdoor use.
- RGB HIGH LUMINOSITY LED matrix display, 605x150 mm.
- Numerical mode: up to 6 digits, h= 110mm with metrological icons (stability, zeroing, NET, etc.)
- Alphanumeric mode: up to 2 lines of 16 characters, h= 42 mm.
- Power supply: 110-240Vac.
- Dimensions: 688x250x57mm.
- VESA Rear fixings (M6, 100x100mm).

AVAILABLE MODES with 3590 TOUCH SCREEN indicators

- 6-digit 110mm Weight repeater
- Alphanumeric display with gross and tare weight in the selected language (two 42mm lines)
- Display colour management (red, yellow or green), synchronised with the connected weight indicator (only in combination with TOUCH SCREEN series indicators)
- Upon request:
 - Fully customisable messages, with descriptions, databases, free texts, formulas, targets, etc.
 - Screen saver with date and time, displayed when the scale is not in use
 - Scroll texts

COMMUNICATION PORTS

- RS485 port for long distance transmission (up to 1000 m) or radio (optional, up to 70m indoor, 150m outdoor). To be combined with indicator provided with RS485 or radio communication port.

AVAILABLE MODES with DFW, DGT, 3590E and CPW indicators

- Weight repeater with 6-digit 110mm

DETAIL 1



DETAIL 2



DETAIL 3





www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

P.R.S. TORFBUD DAWID SZOPA

11 LISTOPADA 8 - 41500 - CHORZOW - POLAND

Tel. 0048-322413522 Fax. 0048-322413522

torfbud@wagielektroniczne.com.pl

SALES AND TECHNICAL ASSISTANCE SERVICE